

ZLP60+ / ZLT60+ Color Light Box



Model	Configured light sources	Weight	Dimensions(mm)
ZLP60+ Color Light Box	D65, TL84, CWF, TL83, UV, F	19.5Kg	695*552*502mm
ZLT60+ Color Light Box	D65, TL84, CWF, UV, F	19.5Kg	695*552*502mm

ZLP60+ Color Light Box Application:

Colors appear differently under different lighting sources. To avoid/reduce the assessment error when performing color contrast, we can make use of a color matching light box to simulate different light sources to obtain an objective assessment of color and color difference, anytime, anywhere.

Zetalab.it

The color matching light box can be applied to the industries that need to perform color difference testing as follows: as the premiere designer and manufacturer of color viewing and lighting products for the Graphic arts, Photographic, Textile, Dyeing, Packaging, Printing, Leather, Inks, Knitwear, Plastic, Automotive and Ceramics industries.

ZLP60+ Color Light Box Features:

Ø Color assessment cabinet / Color Viewing Cabinet / color matching light box render color more accurately. With 6 different light sources(D65, TL84, CWF, TL83/U30, F, UV), which can detect the metamerism.

Ø Meets or exceeds major international standards for visual color evaluation including: A STM D1729, ISO3664, DIN, ANSI and BSI.

Ø Easy to operate by using individual switches for each light source.

Ø Elapsed time meter for tracking optimal lamp replacement.

Ø Automatically alternating among light sources.

Ø No warm-up time or flickering which insures quick and reliable color judgment.

Ø Economic power consumption and low heat generation for high light efficiency.

Ø The dimension can be made by customized.

About Light Sources:

Light Source	color matching light box application	Color temperature (K)	Power(W)
D65	International standard Artificial Daylight	6500	18
TL84	Applied to stores in Europe, Japan and China	4000	18
CWF	(Cool White Fluorescent)American Standard	4150	18
F/A	"Sun-setting Light Yellow" incandescent light source(imitation of sunset)	2700	40
UV	Viewing under ultraviolet light to detect and evaluate optical brighteners or fluorescent pigments	Wavelength:365nm	20
TL83/U30	Warm White Fluorescent	3000	18

Distribuito da:

Zetalab s.r.l.

Via Umberto Giordano, 5 - 35132 Padova

Tel. 049/2021144 - Fax 049/2021143

www.zetalab.it - info@zetalab.it